

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,219,201 B2
APPLICATION NO. : 10/748886
DATED : May 15, 2007
INVENTOR(S) : Kasako et al.

Page 1 of 3


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing an illustrative figure 18 should be deleted and substitute therefore the attached title page consisting of Fig. 18.

The drawing sheet 12 of 14 consisting of Figs. 17 and 18 should be deleted and substitute therefore the attached drawing sheet 12 of 14 consisting of Figs 17 and 18.

Signed and Sealed this

Fourteenth Day of August, 2007

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office

(12) **United States Patent**
Kasako et al.

(10) Patent No.: **US 7,219,201 B2**
(45) Date of Patent: **May 15, 2007**

(54) **REMOTE STORAGE DISK CONTROL
DEVICE AND METHOD FOR
CONTROLLING THE SAME**

(75) Inventors: Naohisa Kasako, Odawara (JP); Shuji
Kondo, Odawara (JP); Toru Suzuki,
Odawara (JP)

(73) Assignee: Hitachi, Ltd., Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 323 days.

(21) Appl. No.: 10/748,886

(22) Filed: Dec. 30, 2003

(65) Prior Publication Data
US 2005/0060505 A1 Mar. 17, 2005

(30) Foreign Application Priority Data
Sep. 17, 2003 (JP) 2003-325082

(51) Int. Cl.
G06F 12/00 (2006.01)

(52) U.S. Cl. 711/162; 711/112

(58) Field of Classification Search 711/162,
711/165, 173, 111, 152
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,771,137 A 11/1973 Barner et al.
4,025,904 A 5/1977 Adney et al.
5,155,845 A 10/1992 Beal et al.
5,170,480 A 12/1992 Mohan et al.
5,307,481 A 4/1994 Shimazaki et al.
5,379,418 A 1/1995 Shimazaki et al.
5,408,465 A 4/1995 Gusella et al.

5,459,857 A 10/1995 Ludlam et al.
5,504,882 A 4/1996 Chai et al.
5,544,347 A 8/1996 Yanai et al.
5,548,712 A 8/1996 Larson et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0869438 10/1998

(Continued)

OTHER PUBLICATIONS

"Symmetric 3000 and 5000 Enterprise Storage Systems Product
Description Guide", 1999, EMC Corporation, p. 19; accessed at
http://www.emc.com/products_pdfs/pdfs/symm_3_pdg.pdg.

(Continued)

Primary Examiner—Brian R. Peugh

(74) Attorney, Agent, or Firm—Mattingly, Stanger, Malur &
Brundidge, P.C.

(57) **ABSTRACT**

A storage device system includes an information processing device, a first storage device equipped with a first storage volume, and a second storage device equipped with a second storage volume. The information processing device and the first storage device are communicatively connected to one another. Also, the first storage device and the second storage device are communicatively connected to one another. The information processing device is equipped with a first write request section that requests to write data in the first storage device according to a first communications protocol, and a second write request section that requests to write data in the second storage device according to a second communications protocol. The information processing device creates first data including a first instruction to be executed in the second storage device.

71 Claims, 14 Drawing Sheets




FIG. 17




FIG. 18

